



नेपाल सरकार

फोन नं ०९१-५६१४१५

कृषि तथा पशुपन्छी विकास मन्त्रालय

०९१-५६१४१४

कृषि विभाग

email- rjkis2ndagriculture@gmail.com

रानी जमरा कुलरिया सिंचाई आयोजना

कृषि कार्यक्रम कार्यान्वयन इकाई

टीकापुर, कैलाली

प.स: २०७५/१०९

मिति: २०७९/०३/१६

च.न: .....

सूचना ।

बिषय: कृषि यन्त्र औजार उपकरणहरूको इकाई दररेट प्रकाशन गरिएको बारे ।

यस आयोजनाको चालू आ.ब.को वार्षिक स्वीकृत कार्यक्रम अनुसार "कृषि उत्पादन, प्रशोधन तथा बजारीकरणमा सहयोग गर्ने कृषि सम्बन्धि मेशिनरी उपकरण तथा औजारकालागि ५० प्रतिशत अनुदान" क्रियाकलाप कार्यान्वयनकालागि कृषियन्त्र औजार उपकरणहरू खरिदमा अनुदान प्रवाह प्रयोजनार्थ मिति २०७९/०२/०७ गतेको गोरखापत्र राष्ट्रिय दैनिक पत्रिकामा प्रकाशित कृषि सम्बन्धि मेशिनरी उपकरण औजार आपूर्तिकालागि शिलबन्दी दरभाउ प्रस्ताव आब्हानको सूचना प्रकाशन गरिएकोमा तोकिएको मितिभित्र रितपूर्वक यस आयोजनामा दर्ता हुन आएका दरभाउ प्रस्तावहरूको नियमानुसार मूल्यांकनगर्दा निम्न बमोजिमका आपूर्तिकर्ताहरूको शिलबन्दी दरभाउ प्रस्तावहरू प्राविधिक, आर्थिक र अन्य मूल्यांकनमा समेत सारभूत रूपमा प्रवाहग्राही देखिई स्वीकृत भएकोले तल उल्लेखित विभिन्न ब्रान्ड, मोडेल र स्पेशिफिकेसन भएका कृषियन्त्र औजार उपकरणहरूमा अनुदान प्रवाह प्रयोजनकालागि न्यूनतम इकाई दररेट स्वीकृत गरिएको छ । कृषियन्त्र खरिदमा अनुदान प्राप्त गर्न छनौट भएका लाभग्राही कृषकहरूले यस आयोजनासँग कार्य संचालन सम्झौतागरी उपरोक्त ३ वटै आपूर्तिकर्ताहरूमध्ये स्वतन्त्र पूर्वक आफ्नो स्वेच्छा र रोजाईले आपूर्तिकर्ता तथा स्वीकृत भएका स्पेशिफिकेसन अनुसारका कृषियन्त्रहरूका मोडेल र ब्रान्डहरू छनौटगरी तोकिएका कृषियन्त्रहरू खरिदगरिलिई यस आयोजनामा जानकारीदिनुहुन अनुरोध छ । खरिद पश्चात स्वीकृत रकमको बढीमा ५० % रकम प्राप्तिकालागि सक्कल वील बिजक, कृषियन्त्रको फोटो सहित निवेदन वा आपूर्तिकर्तालाई भुक्तानीकोलागि सिफारिस निवेदन यथासिद्ध छिटो यस आयोजनामा पेश गर्नुहुन अनुरोध छ । चालू आ.ब.को बजेट खाता सक्रिय हुने दिन/समय अत्यन्त कम रहेकोले समयमै कार्य सम्पन्नगरी पेश गर्नुहुन जानकारी गराईन्छ, समयमै कार्य सम्पन्न नगरेको खण्डमा अनुदान रकम प्रवाह गर्न आयोजना असमर्थ हुने ब्यहोरा समेत जानकारी गराईन्छ ।

आपूर्तिकालागि छनौट भएका आपूर्तिकर्ता फर्महरू:

१. नयाँ तुलसी ट्रेड लिङ्क, प्रा.लि. टिकापुर १, कैलाली (सम्पर्क नं. : ०९१-५६१०६१, ९८५८४२५१२६)
२. डि.कम. माईक्रोसिस्टम प्रा. लि., टिकापुर, कैलाली (सम्पर्क नं. : ०९१-५६०९९१, ९८५८४२१६९३)
३. किसान ट्रेड लिङ्क एण्ड सप्लायर्स, जानकी-१, दुर्गाँली, कैलाली (सम्पर्क नं. : ०९१-५०००९०, ९८६५८४४२४८)

.....  
(गोविन्दराज जोशी)

आयोजना कोअर्डिनेटर

Rani jamara Kulariya Irrigation Project, agriculture component implementation unit, Tikapur, Kailali (F.Y.: 2078/2079)

Price rate Compative Chart, Quoted Price and Approved Price for subsidy of Farm Machineries



S.N.	Name of Farm Machinery	Specifications	Name of Firms						Approved Price Rate for subsidy (NRs.)	Subsidy Amount (NRs.)	Remarks
			Kishan trade link and suppliers, Janaki Rural Municipality-1, Durgauli, Kailali		Naya Tulashi Trade Link, Tikapur Municipality ward no.-1 Kailali		D-KAM Microsystem, Tikapur Municipality ward no.-1 Kailali				
			Brand/ Model	Price Rate NRs. including Vat	Brand/ Model	Price Rate NRs. including Vat	Brand/ Model	Price Rate NRs. including Vat			
1	Power Tiller 20Hp	Power tiller of 20 HP capacity suitable for multipurpose farm work, having 4 stroke diesel engine and Radiator/hopper Colling system. Gear and chain system power transmission, 1- Reverse, 3-Forward (both high low) numbers of gears. minimum ground clearance 182 mm. A set of rotary cultivators attached having minimum of 26 blades and covering minimum of (800-1000)mm tilling width, 1-year service warranty.	-	-	AMEC,Super power - 20L	212000	JD/D-KAM/DELCO, 20L, 20HP/DF	210000	210000	105000	
2	Power Tiller 22Hp	Power tiller of 22 HP capacity suitable for multipurpose farm work, having 4 stroke diesel engine and Radiator/hopper Colling system. Gear and chain system power transmission, 1- Reverse, 3-Forward (both high low) numbers of gears. minimum ground clearance 182 mm. A set of rotary cultivators attached having minimum of 26 blades and covering minimum of (800-1000)mm tilling width, 1-year service warranty.	AMEC/NTG-22 L, 22 hp	215000	AMEC,Super power - 22L	218000	JD/D-KAM/DELCO,DF-22L, 22HP	214000	214000	107000	
			-	-	AMEC/NTG-22 L, 22 hp,self	240000	JD/D-KAM/DELCO,DF-22L, 22HP,self	230000			
			Kishani DF-22,DF22,22 hp	215000	AMEC/NTG-22 L, 22 hp	215000	Megapower,JD-22/DF22	215000			
3	7 Hp Diesel Mini Tiller	Mini tiller of 7HP capacity, single Cylinder, 4 stoke/ diesel engine, Gear system power transmission, 1- Reverse, 2-Forward numbers of gears. Fuel tank capacity 3.5 liters or more. Cultivation width at least 28 inches. A set of tilling blades clutch wire should be added as spare parts. minimum of 1 years' service warranty.	-	-	AMEC,D105/E,178F	85000	JD,178F,7hp	75000	75000	37500	
4	9 Hp Diesel Mini Tiller	Mini tiller of 9 HP capacity, single Cylinder, 4 stoke/ diesel engine, Gear system power transmission, 1- Reverse, 2-Forward numbers of gears. Fuel tank capacity 3.5 liters or more. Cultivation width at least 28 inches. A set of tilling blades clutch wire should be added as spare parts. minimum of 1 years' service warranty.	-	-	-	-	JD186/186FA, 9hp	95000	95000	47500	
5	Paddy Thresher	Axial flow type with 36" threshing drum, feeding tray Chute type, Fitted with Winnowing and auxiliary Blowers and Oscillating Sieves for cleaning purpose. Threshing Capacity 2000 - 3000 Kg/hr. High cleaning efficiency. the complete thresher and accessories are fitted in main base frame with set of pneumatic wheel system. Power Required 35 HP and above	-	-	JAI GURUDEV, 4fan	350000	Ravindra,4fan	360000	350000	175000	
6	Wheat Thresher	Axial flow type with 36" threshing drum, feeding tray Chute type, Fitted with Winnowing and auxiliary Blowers and Oscillating Sieves for cleaning purpose. Threshing Capacity 2000 - 3000 Kg/hr. High cleaning efficiency. the complete thresher and accessories are fitted in main base frame with set of pneumatic wheel system. Power Required 35 HP and above	-	-	JAI GURUDEV,DELUX	260000	Ravindra wheat thresher	260000	260000	130000	
7	Rotavator	Multi speed and side transmission Gear box, Number of Blades 48-54 Overall working width 6 feet	-	-	JAI GURUDEV, JGI-6feet	157000	Universal-6ft,BERTMSG-200/2048	160000	157000	78500	
8	Rotavator	Multi speed and side transmission Gear box, Number of Blades 48-54 Overall working width 7 feet	-	-	JAI GURUDEV, JGI-7feet	160000	Universal-7ft,BERTMSG-225/2054	165000	160000	80000	
9	Disk Harrow	offset type, 7 Nos of disk blade per gang, each gang having 2 Nos of standard bearing hub, 3 point hitching system,	-	-	JAI GURUDEV,7x7	108000	Ravindra-7 discs	145000	108000	54000	
10	Disk Harrow	offset type, 8 Nos of disk blade per gang, each gang having 2 Nos of standard bearing hub, 3 point hitching system,	-	-	JAI GURUDEV,8x8	110000	Ravindra -8 discs	150000	110000	55000	

जोशी  
कोऑर्डिनेटर





S.N.	Name of Farm Machinery	Specifications	Name of Firms						Approved Price Rate for subsidy (NRs.)	Subsidy Amount (NRs.)	Remarks
			Kishan trade link and suppliers, Janaki Rural Municipality-1, Durgauli, Kailali		Naya Tulashi Trade Link, Tikapur Municipality ward no.-1 Kailali		D-KAM Microsystem, Tikapur Municipality ward no.-1 Kailali				
			Brand/ Model	Price Rate NRs. including Vat	Brand/ Model	Price Rate NRs. including Vat	Brand/ Model	Price Rate NRs. including Vat			
11	Seed cum fertilizer drill (Tractor Drawn)	Multi crop Seed cum fertilizer Drill, 6 feet 11 tines, compatible with tractor power 35 hp or above , two box or 3 box in which at least one seed metering have fluted roller or rotor type or vertical rotating Disc with cell on its periphery ,fertilizer metering box have fluted roller or vertical rotor type or sliding orifice type,seed hopper capacity have greater or equivalent 40 kg,fertilizer hopper capacity greater or equivalent 50 Kg, 3 point linkage hitching system,drive driving wheel is at front and in center of planter with lungs on conference ,two no of adjustable Depth control wheel ,Inverted "T" (Zero till) tines	-	-	JAY GURUDEV,JGI(Multicrop)	155000	Ravindra 11 tynes	145000	145000	72500	
12	Reaper Power tiller drawn	Power tiller mounted Reaper with Cutting width 1200 mm, cutting 4 lines and Placing type - Side wise & banded. Matched Power 20-22 HP PT. supply with all set of fixing frame, cable and nut bolts and driving V belts.	AMEC,4GL120	55000	AMEC,4GL120	55000	4GL120	55000	55000	27500	
14	Electric motor	2 hp,Single Phase electric Pump,operating at 50 hz (130-220 V),head up to 12m, catalogue should be provided ,at least one year warrenty .	-	-	KSB ,Agribloc ZE 20-8080A	26000.00	Crompton ,MBQ22(1PH)-13	27000	26000	13000	
15	Diesel engine Pump Set	Diesel engine ,5 hp head 16m ,bore stroke 76mm*76mm,discharge rate 16L/S	-	-	FM 805/1	58000	Atul shakti BH-500	47000	47000	23500	
16	Trench opener	No of tines 3, furrow opener size 25-30 cm, furrow height 15 -20 cm ,compatible with tractor power 35 hp or above ,made up of Ms material	-	-	JAY GURUDEV,JGI	60000	-	-	60000	30000	
17	Ratoon Management device (Instruments)	No of blade 4, three point hitching system ,cutting in single row having minimum width 110 cm ,compatible with tractor power 35 hp or above ,made up of Ms.	-	-	JAY GURUDEV,JGI	150000	Tara Harsan Agro	250000	150000	75000	

  
 गोविन्दराज जोशी  
 आयोजना कोअर्डिनेटर

Rani jamara Kulariya Irrigation Project, agriculture component implementation unit, Tikapur, Kailali (F.Y.: 2078/2079)

Farm Machine's Technical Specifications Quoted Price and approved price rate NRs.

Name of Firm : D.Com Microsystem Pvt. Ltd., Tikapur Municipality ward No.-1, Kailali



S.N.	Name of Farm Machinery	Specifications	Farm machineries brand, model and quoted Price NRs.		Approved Price Rate for subsidy (NRs.)	Subsidy Amount (NRs.)	Remarks
			Brand/ Model	Quoted Rate NRs.			
1	Power Tiller 20Hp	Power tiller of 20 HP capacity suitable for multipurpose farm work, having 4 stroke diesel engine and Radiator/hopper Colling system. Gear and chain system power transmission, 1- Reverse, 3-Forward (both high low) numbers of gears. minimum ground clearance 182 mm. A set of rotary cultivators attached having minimum of 26 blades and covering minimum of (800-1000)mm tilling width, 1-year service warranty	JD/D-KAM/DELCO, 2OL, 2OHP/DF	210000	210000	105000	
2	Power Tiller 22Hp	Power tiller of 22 HP capacity suitable for multipurpose farm work, having 4 stroke diesel engine and Radiator/hopper Colling system. Gear and chain system power transmission, 1- Reverse, 3-Forward (both high low) numbers of gears. minimum ground clearance 182 mm. A set of rotary cultivators attached having minimum of 26 blades and covering minimum of (800-1000)mm tilling width, 1-year service warranty	JD/D-KAM/DELCO,DF-22L, 22HP	214000	214000	107000	
			JD/D-KAM/DELCO,DF-22L, 22HP,self	230000			
			Megapower,JD-22/DF22	215000			
3	7 Hp Diesel Mini Tiller	Mini tiller of 7HP capacity, single Cylinder, 4 stoke/ diesel engine, Gear system power transmission, 1- Reverse, 2-Forward numbers of gears. Fuel tank capacity 3.5 liters or more. Cultivation width at least 28 inches. A set of tilling blades clutch wire should be added as spare parts. minimum of 1 years' service warranty	JD,178F,7hp	75000	75000	37500	
4	9 Hp Diesel Mini Tiller	Mini tiller of 9 HP capacity, single Cylinder, 4 stoke/ diesel engine, Gear system power transmission, 1- Reverse, 2-Forward numbers of gears. Fuel tank capacity 3.5 liters or more. Cultivation width at least 28 inches. A set of tilling blades clutch wire should be added as spare parts. minimum of 1 years' service warranty	JD186/186FA,9hp	95000	95000	47500	
5	Paddy Thresher	Axial flow type with 36" threshing drum, feeding tray Chute type, Fitted with Winnowing and auxiliary Blowers and Oscillating Sieves for cleaning purpose. Threshing Capacity 2000 - 3000 Kg/hr. High cleaning efficiency. the complete thresher and accessories are fitted in main base frame with set of pneumatic wheel system. Power Required 35 HP and above	Ravindra,4fan	360000	350000	175000	

गोविन्दराज जोशी  
आयोजना कोअर्डिनेटर





S.N.	Name of Farm Machinery	Specifications	Farm machineries brand, model and quoted Price NRs.		Approved Price Rate for subsidy (NRs.)	Subsidy Amount (NRs.)	Remarks
			Brand/ Model	Quoted Rate NRs.			
6	Wheat Thresher	Axial flow type with 36" threshing drum, feeding tray Chute type, Fitted with Winnowing and auxiliary Blowers and Oscillating Sieves for cleaning purpose. Threshing Capacity 2000 - 3000 Kg/hr. High cleaning efficiency. the complete thresher and accessories are fitted in main base frame with set of pneumatic wheel system. Power Required 35 HP and above	Ravindra wheat thresher	260000	260000	130000	
7	Rotavator	Multi speed and side transmission Gear box, Number of Blades 48-54 Overall working width 6 feet	Universal-6ft,BERTMSG-200/2048	160000	157000	78500	
8	Rotavator	Multi speed and side transmission Gear box, Number of Blades 48-54 Overall working width 7 feet	Universal-7ft,BERTMSG-225/2054	165000	160000	80000	
9	Disk Harrow	offset type, 7 Nos of disk blade per gang, each gang having 2 Nos of standard bearing hub, 3 point hitching system,	Ravindra-7 discs	145000	108000	54000	
10	Disk Harrow	offset type, 8 Nos of disk blade per gang, each gang having 2 Nos of standard bearing hub, 3 point hitching system,	Ravindra -8 discs	150000	110000	55000	
11	Seed cum fertilizer drill (Tractor Drawn)	Multi crop Seed cum fertilizer Drill, 6 feet 11 tines,compatible with tractor power 35 hp or above , two box or 3 box in which at least one seed metering have fluted roller or rotor type or vertical rotating Disc with cell on its periphery ,fertilizer metering box have fluted roller or vertical rotor type or sliding orifice type,seed hopper capacity have greater or equivalent 40 kg,fertilizer hopper capacity greater or equivalent 50 Kg, 3 point linkage hitching system,drive driving wheel is at front and in center of planter with lungs on conference ,two no of adjustable Depth control wheel ,Inverted "T" (Zero till) tines	Ravindra 11 tynes	145000	145000	72500	
12	Reaper Power tiller drawn	Power tiller mounted Reaper with Cutting width 1200 mm, cutting 4 lines and Placing type - Side wise & banded. Matched Power 20-22 HP PT. supply with all set of fixing frame, cable and nut bolts and driving V belts.	4GL120	55000	55000	27500	
14	Electric motor	2 hp,Single Phase electric Pump,operating at 50 hz (130-220 V),head up to 12m, catalogue should be provided ,at least one year warrenty .	Crompton ,MBQ22(1PH)-13	27000	26000	13000	
15	Diesel engine Pump Set	Diesel engine ,5 hp head 16m ,bore stroke 76mm*76mm,discharge rate 16L/S	Atul shakti BH-500	47000	47000	23500	
17	Ratoon Management device (Instruments)	No of blade 4, three point hitching system ,cutting in single row having minimum width 110 cm ,compatible with tractor power 35 hp or above ,made up of Ms.	Tara Harson Agro	250000	150000	75000	

  
 गोविन्दराज जोशी  
 आयोजना कोअर्डिनेटर

Rani jamara Kulariya Irrigation Project, agriculture component implementation unit, Tikapur, Kailali (F.Y.: 2078/2079)

Farm Machine's Technical Specifications Quoted Price and approved price rate NRs.

Name of Firm : Kishan Trade Link and Suppliers., Janaki Rural Municipality ward No.-1, Durgauli, Kailali



S.N.	Name of Farm Machinery	Specifications	Farm machineries brand, model and quoted Price NRs.		Approved Price Rate for subsidy (NRs.)	Subsidy Amount (NRs.)	Remarks
			Brand/ Model	Quoted Rate NRs.			
2	Power Tiller 22Hp	Power tiller of 22 HP capacity suitable for multipurpose farm work, having 4 stroke diesel engine and Radiator/hopper Colling system. Gear and chain system power transmission, 1- Reverse, 3-Forward (both high low) numbers of gears. minimum ground clearance 182 mm. A set of rotary cultivators attached having minimum of 26 blades and covering minimum of (800-1000)mm tilling width, 1-year service warranty is required.	AMEC/NTG-22 L, 22 hp	215000	214000	107000	
			Kishani DF-22,DF22,22 hp	215000			
12	Reaper Power tiller drawn	Power tiller mounted Reaper with Cutting width 1200 mm, cutting 4 lines and Placing type - Side wise & banded. Matched Power 20-22 HP PT. supply with all set of fixing frame, cable and nut bolts and driving V belts.	AMEC,4GL120	55000	55000	27500	

  
 गोविन्दराज जोशी  
 आयोजना कोअर्डिनेटर



Rani jamara Kulariya Irrigation Project, agriculture component implementation unit, Tikapur, Kailali (F.Y.: 2078/2079)

Farm Machine's Technical Specifications Quoted Price and approved price rate NRs.

Name of Firm : Naya Tulashi Trade Link Pvt. Ltd., Tikapur Municipality ward No.-1, Kailali



S.N.	Name of Farm Machinery	Specifications	Farm machineries brand, model and quoted Price NRs.		Approved Price Rate for subsidy (NRs.)	Subsidy Amount (NRs.)	Remarks
			Brand/ Model	Quoted Rate NRs.			
1	Power Tiller 20Hp	Power tiller of 20 HP capacity suitable for multipurpose farm work, having 4 stroke diesel engine and Radiator/hopper Colling system. Gear and chain system power transmission, 1- Reverse, 3-Forward (both high low) numbers of gears. minimum ground clearance 182 mm. A set of rotary cultivators attached having minimum of 26 blades and covering minimum of (800-1000)mm tilling width, 1-year service warranty.	AMEC, Super power - 20L	212000	210000	105000	
			AMEC, NTG-20L, 20hp	212000			
2	Power Tiller 22Hp	Power tiller of 22 HP capacity suitable for multipurpose farm work, having 4 stroke diesel engine and Radiator/hopper Colling system. Gear and chain system power transmission, 1- Reverse, 3-Forward (both high low) numbers of gears. minimum ground clearance 182 mm. A set of rotary cultivators attached having minimum of 26 blades and covering minimum of (800-1000)mm tilling width, 1-year service warranty.	AMEC, Super power - 22L	218000	214000	107000	
			AMEC/NTG-22 L, 22 hp, self	240000			
			AMEC/NTG-22 L, 22 hp	215000			
3	7 Hp Diesel Mini Tiller	Mini tiller of 7HP capacity, single Cylinder, 4 stoke/ diesel engine, Gear system power transmission, 1- Reverse, 2-Forward numbers of gears. Fuel tank capacity 3.5 liters or more. Cultivation width at least 28 inches. A set of tilling blades clutch wire should be added as spare parts. minimum of 1 years' service warranty .	AMEC, D105/E, 178F	85000	75000	37500	
5	Paddy Thresher	Axial flow type with 36" threshing drum, feeding tray Chute type, Fitted with Winnowing and auxiliary Blowers and Oscillating Sieves for cleaning purpose. Threshing Capacity 2000 - 3000 Kg/hr. High cleaning efficiency. the complete thresher and accessories are fitted in main base frame with set of pneumatic wheel system. Power Required 35 HP and above	JAI GURUDEV, 4fan	350000	350000	175000	
6	Wheat Thresher	Axial flow type with 36" threshing drum, feeding tray Chute type, Fitted with Winnowing and auxiliary Blowers and Oscillating Sieves for cleaning purpose. Threshing Capacity 2000 - 3000 Kg/hr. High cleaning efficiency. the complete thresher and accessories are fitted in main base frame with set of pneumatic wheel system. Power Required 35 HP and above	JAI GURUDEV, DELUX	260000	260000	130000	
7	Rotavator	Multi speed and side transmission Gear box, Number of Blades 48-54 Overall working width 6 feet	JAI GURUDEV, JGI-6feet	157000	157000	78500	

*(Signature)*  
 श्री विन्दराज जोशी  
 जेजना कोअर्डिनेटर



S.N.	Name of Farm Machinery	Specifications	Farm machineries brand, model and quoted Price NRs.		Approved Price Rate for subsidy (NRs.)	Subsidy Amount (NRs.)	Remarks
			Brand/ Model	Quoted Rate NRs.			
8	Rotavator	Multi speed and side transmission Gear box, Number of Blades 48-54 Overall working width 7 feet	JAI GURUDEV, JGI-7feet	160000	160000	80000	
9	Disk Harrow	offset type, 7 Nos of disk blade per gang, each gang having 2 Nos of standard bearing hub, 3 point hitching system,	JAI GURUDEV,7x7	108000	108000	54000	
10	Disk Harrow	offset type, 8 Nos of disk blade per gang, each gang having 2 Nos of standard bearing hub, 3 point hitching system,	JAI GURUDEV,8x8	110000	110000	55000	
11	Seed cum fertilizer drill (Tractor Drawn)	Multi crop Seed cum fertilizer Drill, 6 feet 11 tines,compatible with tractor power 35 hp or above , two box or 3 box in which at least one seed metering have fluted roller or rotor type or vertical rotating Disc with cell on its periphery ,fertilizer metering box have fluted roller or vertical rotor type or sliding orifice type,seed hopper capacity have greater or equivalent 40 kg,fertilizer hopper capacity greater or equivalent 50 Kg, 3 point linkage hitching system,drive driving wheel is at front and in center of planter with lungs on conference ,two no of adjustable Depth control wheel ,Inverted "T" (Zero till) tines	JAY GURUDEV,JGI(Multicrop)	155000	145000	72500	
12	Reaper Power tiller drawn	Power tiller mounted Reaper with Cutting width 1200 mm, cutting 4 lines and Placing type - Side wise & banded. Matched Power 20-22 HP PT. supply with all set of fixing frame, cable and nut bolts and driving V belts.	AMEC,4GL120	55000	55000	27500	
14	Electric motor	2 hp,Single Phase electric Pump,operating at 50 hz (130-220 V),head up to 12m, catalogue should be provided ,at least one year warrenty .	KSB ,Agribloc ZE 20-8080A	26000.00	26000	13000	
15	Diesel engine Pump Set	Diesel engine ,5 hp head 16m ,bore stroke 76mm*76mm,discharge rate 16L/S	FM 805/1	58000	47000	23500	
16	Trench opener	No of tines 3, furrow opener size 25-30 cm, furrow height 15 -20 cm ,compatible with tractor power 35 hp or above ,made up of Ms material	JAY GURUDEV,JGI	60000	60000	30000	
17	Ratoon Management device (Instruments)	No of blade 4, three point hitching system ,cutting in single row having minimum width 110 cm ,compatible with tractor power 35 hp or above ,made up of Ms.	JAY GURUDEV,JGI	150000	150000	75000	

  
 गोविन्दराज जोशी  
 आयोजना कोअर्डिनेटर